

Product Datasheet model uvex pheos nxt 9128265

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- classic-sporty, lightweight safety spectacle with innovative side arm structure for optimal, secure hold at all times
- ergonomically shaped side arms with grip structure and soft-grip temple ends provide a comfortable, secure fit without pressure
- increased air circulation for excellent climate-optimized wearing comfort thanks to numerous cuts outs in the side arms
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology - permanent anti-fog and scratch-resistant lens
- UV400 - 100% protection against dangerous UV radiation up to 400 nm
- metal-free

2. Technical Details Body

Side arms

| | |
|----------|-----------------------------------|
| Material | PA / TPE |
| Features | climate-optimized wearing comfort |
| Colour | blue, anthracite |


Marking

| | |
|---|------------|
| Manufacturer 's ID code | W |
| Applicable EN norm | 166 |
| Impact resistance | F (45 m/s) |
| Resistance to high speed particles at extremes of temperature | T |
| Conformity symbol | CE |

3. Technical Details Lens





| | |
|---------------|-----------------------------|
| Material | PC |
| Thickness | 2.01 mm at PD |
| Coating | uvex supravision excellence |
| Colour | clear |
| UV protection | UV400 |

Marking

| | |
|---|---|
| Filter | 2C-1.2 (EN 170) |
| Manufacturer 's ID code | W |
| Optical class | 1 |
| Impact resistance | F (45 m/s) |
| Resistance to high speed particles at extremes of temperature | T |
| Scratch resistance | K |
| Antifog | N |
| Conformity symbol | CE |
| Factory symbol |  |

4. Logistical Information

Product

| | | | |
|---|--|---|--|
| Weight | 25 | | |
| Dimensions (L x W x H) in approx. mm |  <p style="text-align: right;">picture only for reference</p> | | |
| | 162 x 143 x 49 | | |
| | Packing unit 1 | Packing unit 2 | Packing unit 3 |
| EAN Code | 4066853002000 | 4066853002017 | 4066853002024 |
| Quantity in pcs. | 1 | 10 | 160 |
| Dimensions (L x W x H) in approx. mm |  <p style="text-align: center;">picture only for reference</p> |  |  |
| | 60 x 145 x 58 | 185 x 290 x 97 | 600 x 400 x 400 |
| Net weight in approx. g | 25 | 250 | 4.000 |
| Gross weight in approx. g | 39 | 495 | 8.820 |
| Country of Origin | Germany | | |

5. Miscellaneous

| | |
|--------------|-----------------|
| Standards | EN 166 + EN 170 |
| PPE Category | Category II |